



Safety Data Sheet

Issue Date: 23-Oct-2023

Revision Date: 23-Oct-2023

Version 1

1. IDENTIFICATION

Product identifier MOL-ECTR3GKIT A CLEAR

Product Name XPS EPOXY MAPLE SYRUP

Other means of identification

SDS #

UN/ID No UN3082

Recommended use of the chemical and restrictions on use

Recommended Use Anti-Crystallization Epoxy Coating.

Details of the supplier of the safety data sheet

Supplier Address
Xtreme Polishing Systems

2200 NW 32 Street #700
Pompano Beach, FL 33069

Emergency telephone number

Emergency Telephone US (CHEMTEL) 1(800) 255-3924

2. HAZARDS IDENTIFICATION

Appearance Clear liquid

Physical state Liquid





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1

Signal Word

Warning

Hazard statements

Harmful if inhaled
Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap
Take off contaminated clothing and wash before reuse
If skin irritation or rash occurs: Get medical advice/attention





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a poison center or doctor/physician if you feel unwell

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plants

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Polymer of epichlorohydrin and bisphenol A	25085-99-8	60-70
Neopentyl Glycol diglycidyl ether	17557-23-2	5-10
Benzyl alcohol	100-51-6	1-10
Alkyl (C12-14) glycidyl ether	68609-97-2	1-10

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

Symptoms May be harmful if swallowed. May be harmful in contact with skin. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause an allergic reaction.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

In case of fire: water fog, foam, dry chemical powder, carbon dioxide (CO₂).

Unsuitable Extinguishing Media Water jet.

Specific Hazards Arising from the Chemical

During fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Clear area. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	For containment, ensure adequate ventilation and absorb any spill with inert liquid binding material and dispose of waste safely.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection. Contaminated work clothing must not be allowed out of the workplace.
--------------------------------	--

Conditions for safe storage, including any incompatibilities

Storage Conditions	Store in cool dry and well-ventilated place. Keep stored in accordance with local, regional, national, and international regulations. Store away from incompatible materials.
Incompatible Materials	Strong oxidizers, strong alkalis, strong mineral acids, amines.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>Exposure Guidelines</u>	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies
-----------------------------------	--

Appropriate engineering controls

Engineering Controls	Local exhaust ventilation required. Make up air should be supplied to balance air that is removed by local or general exhaust ventilation. Provide sufficient ventilation to keep vapors below permissible exposure limit. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.
-----------------------------	---





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Use tightly sealed goggles or safety glasses with side shields which are resistant to Chemicals. Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Wear chemical resistant protection gloves. Wear impervious clothing as necessary to protect against coming in contact with product. Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	If insufficient ventilation, wear respiratory protection. Refer to 29 CFR 1910.134 for respiratory protection requirements.
General Hygiene Considerations	Do not eat, drink or smoke during work. Avoid all contact with skin or eye. If clothing comes into contact with material, do not allow out of the workplace. Clean hands and any exposed skin thoroughly after work and before breaks.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Not determined
Appearance	Clear liquid	Odor Threshold	Not determined
Color	Colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
-----------------	---------------	-------------------------

pH	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	>93 °C / 200 °F	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Liquid-Not applicable	





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

Flammability Limit in Air

Upper flammability or explosive limits No data available

Lower flammability or explosive limits No data available

Vapor Pressure Not determined

Vapor Density No data available

Relative Density 1.14-1.16

Water Solubility Partially soluble

Solubility in other solvents Not determined

Partition Coefficient Not determined

Autoignition temperature No data available

Hyphen Not determined

Kinematic viscosity Not determined

Dynamic Viscosity Not determined

Explosive Properties Not determined

Oxidizing Properties Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

Possibility of hazardous reactions

This product will polymerize if mixed with an amine. Considerable heat can evolve.

Conditions to Avoid

Avoid temperatures exceeding the flash point. Avoid unintended contact with amines.

Incompatible materials

Strong oxidizers, strong alkalis, strong mineral acids, amines.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Avoid contact with eyes.
Skin Contact	May be harmful in contact with skin.
Inhalation	Harmful if inhaled.
Ingestion	May be harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	> 4178 mg/m ³ (Rat) 4 h
Neopentyl Glycol diglycidyl ether 17557-23-2	= 4500 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Alkyl (C12-14) glycidyl ether 68609-97-2	= 17100 mg/kg (Rat)	> 3987 mg/kg (Rabbit)	-





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Sensitization May cause an allergic skin reaction.

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 2,442.50 mg/kg

Dermal LD50 2,351.60 mg/kg

ATEmix (inhalation-dust/mist) 4.18 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
---------------	----------------------	------	-----------





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

Benzy alcohol 100-51-6		LC50: =460mg/L (96h, Pimephales promelas) LC50: =10mg/L (96h, Lepomis macrochirus)	EC50: =23mg/L (48h, water flea)
---------------------------	--	---	---------------------------------

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Benzy alcohol 100-51-6	1.05
Alkyl (C12-14) glycidyl ether 68609-97-2	3.77

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

DOT

UN/ID No	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (bisphenol-A- (epichlorohydrin) epoxy resin)
Transport hazard class(es)	9
Packing Group	III
Marine Pollutant	This material ships as a marine pollutant when single container exceeds 119 gal/ 882 lbs.

IATA

UN number or ID number	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (bisphenol-A- (epichlorohydrin) epoxy resin)
Transport hazard class(es)	9
Packing group	III
Description	This material ships as a marine pollutant when inner packagings exceed 5L/5KG

IMDG

UN number or ID number	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s. (bisphenol-A- (epichlorohydrin) epoxy resin)
Transport hazard class(es)	9
Packing Group	III
Marine Pollutant	This material ships as a marine pollutant when inner packagings exceed 5L/5KG

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSC A	TSCA Inventory Status	DSL/ NDSL	EINECS/ ELINCS	ENCS	IECSC	KECL	PICCS	AIC
Polymer of epichlorohydrin and bisphenol A	X	ACTIVE	X			X	X	X	X
Poly[(phenyl glycidyl ether)-co-formaldehyde]	X	ACTIVE	X		X	X	X	X	X





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

Alkyl (C12-14) glycidyl ether	X	ACTIVE	X	X	X	X	X	X	X
Benzyl alcohol	X	ACTIVE	X	X	X	X	X	X	X
Neopentyl Glycol diglycidyl ether	X	ACTIVE	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.





MOL-ECTR3GKIT A CLEAR

Revision Date: 23-Oct-2023

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol 100-51-6		X	X

16. OTHER INFORMATION

NEPA

_____ Health hazards
-
_____ Flammability
-
_____ Instability
-
_____ Special hazards
-

HMIS

_____ Health hazards
-
_____ Flammability
-
_____ Physical hazards
-
_____ Personal Protection
Not determined

Issue Date: 23-Oct-2023
Revision Date: 23-Oct-2023
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

