



Safety Data Sheet

Issue Date: 23-Oct-2023

Revision Date: 23-Oct-2023

Version 1

1. IDENTIFICATION

Product identifier MOL-ECTR3GKIT B CLEAR

Product Name XPS EPOXY MAPLE SYRUP

Other means of identification

SDS #

UN/ID No UN3267

Recommended use of the chemical and restrictions on use

Recommended Use Anti-Crystallization Epoxy Coating.

Details of the supplier of the safety data sheet

Supplier Address

Xtreme Polishing Systems
2200 NW 32 Street #700
Pompano Beach, FL 33069

Emergency telephone number US (CHEMTEL): 1(800) 255-3924

Emergency Telephone

2. HAZARDS IDENTIFICATION

Appearance Clear liquid

Physical state Liquid





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Reproductive toxicity	Category 2

Signal Word

Danger

Hazard statements

Harmful if swallowed

Harmful if inhaled

Causes severe skin burns and eye damage

May cause an allergic skin reaction

Suspected of damaging fertility or the unborn child



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

Immediately call a poison center or doctor/physician





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Immediately call a poison center or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth
Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
4-Nonylphenol, branched	84852-15-3	25-30
Isophorone diamine	2855-13-2	20-25
Proprietary component 1	Proprietary	15-25
Benzyl alcohol	100-51-6	5-10

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice

Immediately call a poison center or doctor/physician.





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
Ingestion	Call a poison center or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms	May be harmful in contact with skin. Harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

In case of fire: water fog, foam, dry chemical powder, carbon dioxide (CO₂).

Unsuitable Extinguishing Media	Water jet.
---------------------------------------	------------

Specific Hazards Arising from the Chemical

During fire, nitrous gases, fumes/smoke, isocyanates and vapor may be formed.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Clear area. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up For containment, ensure adequate ventilation and absorb any spill with inert liquid binding material and dispose of waste safely.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in cool dry and well-ventilated place. Keep stored in accordance with local, regional, national, and international regulations. Store away from incompatible materials.

Incompatible Materials Strong oxidizing agents and acids.





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Controls

Local exhaust ventilation required. Make up air should be supplied to balance air that is removed by local or general exhaust ventilation. Provide sufficient ventilation to keep vapors below permissible exposure limit. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Use tightly sealed goggles or safety glasses with side shields which are resistant to Chemicals. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection

Wear chemical resistant protection gloves. Wear impervious clothing as necessary to protect against coming in contact with product. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection

If insufficient ventilation, wear respiratory protection. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations

Do not eat, drink or smoke during work. Avoid all contact with skin or eye. If clothing comes into contact with material, do not allow out of the workplace. Clean hands and any exposed skin thoroughly after work and before breaks.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state

Liquid

Appearance Clear liquid

Odor Not determined

Color Colorless

Odor Threshold Not determined



Safety Data Sheet



MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	>93 °C / >200 °F	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Liquid-Not applicable	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	

Vapor Pressure Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Vapor Density	No data available	
Relative Density	0.9-1.0	
Water Solubility	Partially soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	No data available	
Hyphen	Not determined	
Kinematic viscosity	Not determined	





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

This product will polymerize if mixed with an epoxy resin. Considerable heat can evolve.

Conditions to Avoid

Avoid temperatures exceeding the flash point. Epoxy resins under uncontrolled conditions.

Incompatible materials

Strong oxidizing agents and acids.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact May be harmful in contact with skin.





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

Inhalation Harmful if inhaled.

Ingestion Harmful if swallowed.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Polyoxypropylenediamine 9046-10-0	= 1100 mg/kg (Rat)	= 1555 mg/kg (Rabbit)	> 0.74 mg/L (Rat) 8 h
4-Nonylphenol, branched 84852-15-3	= 1300 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	-
Isophorone diamine 2855-13-2	= 1030 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5.01 mg/L (Rat) 4 h 1.07 - 5.01 mg/L (Rat) 4 h
Proprietary component 1	= 11300 µL/kg (Rat)	= 20000 mg/kg (Rabbit)	-
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	> 4178 mg/m ³ (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes severe skin burns.

Serious eye damage/eye irritation Causes severe eye damage.

Sensitization May cause an allergic skin reaction.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
---------------	-------	------	-----	------





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

Proprietary component 1		Group 3		
-------------------------	--	---------	--	--

Legend

*IARC (International Agency for Research on Cancer)
Group 3 IARC components are "not classifiable as human carcinogens"*

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 557.00 mg/kg
 Dermal LD50 2,007.60 mg/kg
 ATEmix (inhalation-dust/mist) >1 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
4-Nonylphenol, branched 84852-15-3	EC50: 0.36 - 0.48mg/L (96h, Pseudokirchneriella subcapitata) EC50: 0.16 - 0.72mg/L (72h, Pseudokirchneriella subcapitata) EC50: =1.3mg/L (72h, Desmodesmus subspicatus)	LC50: =0.135mg/L (96h, Pimephales promelas) LC50: =0.1351mg/L (96h, Lepomis macrochirus)	EC50: =0.14mg/L (48h, Daphnia magna)
Isophorone diamine 2855-13-2	EC50: =37mg/L (72h, Desmodesmus subspicatus)		EC50: 14.6 - 21.5mg/L (48h, Daphnia magna)
Benzyl alcohol 100-51-6		LC50: =460mg/L (96h, Pimephales promelas) LC50: =10mg/L (96h, Lepomis macrochirus)	EC50: =23mg/L (48h, water flea)

Persistence/Degradability

Not determined.





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
4-Nonylphenol, branched 84852-15-3	5.4
Isophorone diamine 2855-13-2	0.99
Proprietary component 1	2.33
Benzyl alcohol 100-51-6	1.05

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No

UN3267

Proper Shipping Name

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine, 4-nonylphenol, branched)

Transport hazard class(es)

8

Packing Group

III





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

IATA

UN number or ID number	UN3267
Proper Shipping Name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine, 4-nonylphenol, branched)
Transport hazard class(es)	8
Packing group	III

IMDG

UN number or ID number	UN3267
Proper Shipping Name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Isophorone diamine, 4-nonylphenol, branched)
Transport hazard class(es)	8
Packing Group	III
Marine Pollutant	This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSC A	TSCA Inventory Status	DSL/ NDSL	EINECS/ ELINCS	ENCS	IECSC	KECL	PICCS	AIC
Polyoxypropylenediamine	X	ACTIVE	X		X	X	X	X	X
4-Nonylphenol, branched	X	ACTIVE	X	X	X	X	X	X	X
Isophorone diamine	X	ACTIVE	X	X	X	X	X	X	X
Proprietary component 1	X	ACTIVE	X	X	X	X	X	X	X
Benzyl alcohol	X	ACTIVE	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isophorone diamine 2855-13-2	X		
Benzyl alcohol 100-51-6		X	X





MOL-ECTR3GKIT-B

Revision Date: 23-Oct-2023

16. OTHER INFORMATION

NFPA

_____ Health hazards
-
_____ Flammability
-
_____ Instability
-
_____ Special hazards
-

HMIS

_____ Health hazards
-
_____ Flammability
-
_____ Physical hazards
-
_____ Personal Protection
Not determined

Issue Date: 23-Oct-2023

Revision Date: 23-Oct-2023

Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

